

University of Groningen

Flexibility of human walking

Donker, Stella Franciscus

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2002

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Donker, S. F. (2002). *Flexibility of human walking: a study on interlimb coordination*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Amazeen, P. G., Amazeen, E. L., & Turvey, M. T. (1998). Breaking the reflectional symmetry of interlimb coordination dynamics. *Journal of Motor Behavior*, 30, 199-216.
- Amazeen, E. L., Sternad, D., & Turvey, M. T. (1996). Predicting the nonlinear shift of stable equilibria in interlimb rhythmic coordination. *Human Movement Science*, 15, 521-542.
- Baker, P. A., & Hewison, S. R. (1990). Gait recovery pattern of unilateral lower limb amputees during rehabilitation. *Prosthetics and Orthotics International*, 14, 80-84.
- Baldissera, F., & Cavallari, P. (2001). Neural compensation for mechanical loading of the hand during coupled oscillations of the hand and foot. *Experimental Brain Research*, 139, 18-29.
- Baldissera, F., Cavallari, P., & Civaschi, P. (1982). Preferential coupling between voluntary movements of ipsilateral limbs. *Neuroscience Letters*, 34, 95-100.
- Baldissera, F., Cavallari, P., Marini, G., & Tassone, G. (1991). Differential control of in-phase and antiphase coupling of rhythmic movements of ipsilateral hand and foot. *Experimental Brain Research*, 83, 375-380.
- Bastiaanse, C. M., Fouad, K., & Dietz, V. (2001). Human interlimb coordination between arms and legs during human locomotion. In: J. Duysens, B. C. M. Smits-Engelsman, and H. Kingma (Eds.), *Control of Posture and Gait*, Symposium of the International Society for Postural and Gait Research (pp. 508-511). Maastricht: ISPG.
- Batchelet, E. (1981). *Circular statistics in biology*. New York: Academic Press.
- Beek, P. J. (1989). *Juggling dynamics*. Amsterdam: Free University Press.
- Beek, P. J., Peper, C. E., & Stegeman, D. F. (1995). Dynamical models of movement coordination. *Human Movement Science*, 14, 573-608.
- Berger, W., Altenmueller, E., & Dietz, V. (1984). Normal and impaired development of children's gait. *Human Neurobiology*, 3, 163-170.
- Berger, W., Quintern, J., & Dietz, V. (1987). Afferent and efferent control of stance and gait: developmental changes in children. *Electroencephalography & Clinical Neurophysiology*, 66, 244-252.
- Bonnard, M., & Pailhous, J. (1991). Intentional compensation for selective loading affecting human gait phases. *Journal of Motor Behavior*, 23, 4-12.
- Bonnard, M., Pailhous, J., & Danion, F. (2000). Adaptation of neuromuscular synergies during intentional constraints of space-time relationships in human gait. *Journal of Motor Behavior*, 32,

- 200-208.
- Boonstra, A. M., Fidler, V., & Eisma, W. H. (1993). Walking speed of normal subjects and amputees: aspects of validity of gait analysis. *Prosthetics and Orthotics International*, 17, 78-82.
- Brenière, Y., & Bril, B. (1998). Development of postural control of gravity forces in children during the first 5 years of walking. *Experimental Brain Research*, 121, 255-262.
- Burgess-Limerick, R., Abernethy, B., & Neal, R. J. (1991). A statistical problem in testing invariance of movement using the phase plane model. *Journal of Motor Behavior*, 23, 301-303.
- Byblow, W. D., & Goodman, D. (1994). Performance asymmetries in multifrequency coordination. *Human Movement Science*, 13, 147-174.
- Capozzo, A. (1982). Low frequency self-generated vibration during ambulation in normal men. *Journal of Biomechanics*, 15, 599-609.
- Cappozzo, A., Figura, F., Gazzani, F., Leo, T., & Marchetti, M. (1982). Angular displacements in the upper body of AK amputees during level walking. *Prosthetics and Orthotics International*, 6, 131-138.
- Carson, R. G., Goodman, D., Kelso, J. A. S., & Elliott, D. (1995). Phase transitions in rhythmic coordination of ipsilateral hand and foot. *Journal of Motor Behavior*, 27, 211-224.
- Cavanagh, P. R., & Kram, R. (1989). Stride length in distance running: velocity, body dimensions, and added mass effects. *Medicine and Science in Sports and Exercise*, 21, 467-479.
- Clarac, F. (1991). How do sensory and motor signals interact during locomotion? In: D. R. Humphrey, and H. -J. Freund (Eds.), *Motor control: Concepts and issues* (pp. 199-221). New York: John Wiley & Sons Ltd.
- Clark, J. E., & Phillips, S. J. (1993). A longitudinal study of intralimb coordination in the first year of independent walking: A dynamical systems analysis. *Child Development*, 64, 1143-1157.
- Cohen, A. H., Holmes, P. J., & Rand, R. H. (1982). The nature of coupling between segmental oscillators of the lamprey spinal generator for locomotion: A mathematical model. *Journal of Mathematical Biology*, 13, 345-369.
- Craik, R. L., Herman, R. M., & Finley, F. R. (1976). The human solutions for locomotion: Interlimb coordination. In: R. M. Herman, S. Grillner, and P. S. Stein (Eds.), *Neural control of locomotion* (pp. 51-63). New York: Plenum Press.
- Czerniecki, J. M., & Gitter, A. J. (1996). Gait analysis in the amputee: has it helped the amputee or contributed to the developments of improved prosthetic components? *Gait and Posture*, 4, 258-268.
- Debaere, F., Swinnen, S. P., Bèatse, E., Snaert, S., van Hecke P., & Duysens J. (2001). Brain areas involved in interlimb coordi-

- nation: a distributed network. *NeuroImage*, 14, 947-958.
- Delwaide, P. J., & Crenna, P. (1984). Cutaneous nerve stimulation and motoneuronal excitability II: Evidence for nonsegmental influences. *Journal of Neurology, Neurosurgery and Psychiatry*, 47, 190-196.
- Den Otter, R., Geurts, A. C. H., van Duijnhoven, N. T., Poelkens, F., & Duysens, J. (2001). Changes in lower extremity muscle activity at very slow walking speeds. In: J. Duysens, B. C. M. Smits-Engelsman, and H. Kingma (Eds.), *Control of Posture and Gait* (pp. 550-553). Maastricht: ISPG.
- Diedrich, F. J., & Warren, W. H. (1995). Why change gaits? Dynamics of the walk-run transition. *Journal of Experimental Psychology: Human Perception and Performance*, 21, 183-202.
- Diedrich, F. J., & Warren, W. H. (1998). The dynamics of gait transitions: Effects of grade and load. *Journal of Motor Behavior*, 30, 60-78.
- Dietz, V. (1992). Human neuronal control of automatic functional movements: Interaction between central programs and afferent input. *Physiological Reviews*, 72, 33-69.
- Dietz, V., Fouad, K., & Bastiaanse, C.M. (2001). Neuronal coordination of arm and leg movements during human locomotion. *The European Journal of Neuroscience*, 14, 1906-1914.
- Dingwell, J. B. (1998). Variability and nonlinear dynamics of continuous locomotion: applications to treadmill walking and diabetic peripheral neuropathy. Ph. D. Thesis. Pennsylvania State University, College Park, Penn., USA.
- Dingwell, J. B., & Cavanagh, P. R. (2001). Increased variability of continuous overground walking in neuropathic patients is only indirectly related to sensory loss. *Gait & Posture*, 14, 1-10.
- Dingwell, J. B., Cusumano, J. P., Sternad, D., & Cavanagh, P. R. (2000). Slower speeds in patients with diabetic neuropathy lead to improved local dynamic stability of continuous overground walking. *Journal of Biomechanics*, 33, 1269-1277.
- Dingwell, J. B., Davis, B. L., & Frazier, D. M. (1996). Use of an instrumented treadmill for real-time gait symmetry evaluation and feedback in normal and trans-tibial amputee subjects. *Prosthetics and Orthotics International*, 20, 101-110.
- Donker, S. F., & Beek, P. J. (2002). Interlimb coordination in prosthetic walking: Effects of asymmetry and walking velocity. *Acta Psychologica*, 110, 265-288.
- Donker, S. F., & Beek, P. J. (submitted). Effects of limb loading and velocity on the relative phasing between arm and leg movements during walking.
- Donker, S. F., Beek, P. J., Wagenaar, R. C., & Mulder, T. (2001). Coordination between arm and leg movements during locomotion. *Journal of Motor Behavior*, 33, 86-102.

- Donker, S. F., Mulder, T., Nienhuis, B., & Duysens, J. (2002). Adaptations in arm movements for added mass to wrist or ankle during walking. *Experimental Brain Research*, 146, 26-32.
- Duysens, J., & Tax, T. (1994). Interlimb reflexes during gait in cat and human. In: S. P. Swinnen, H. Heuer, J. Massion, and P. Casaer (Eds.) *Interlimb coordination: neural, dynamical, and cognitive constraints*. (pp. 97-126). New York: Academic Press, Inc.
- Duysens, J., & van de Crommert, H. W. A. A. (1998). Neural control of locomotion; Part 1: The central pattern generator from cats to human. *Gait & Posture*, 7, 131-141.
- Duysens, J., Clarac, F., & Cruse, H. (2000). Load-regulating mechanisms in gait and posture: comparative aspects. *Physiological Reviews*, 80, 83-133.
- Elftman, H. (1939). The functions of the arms in walking. *Human Biology*, 11, 529-535.
- Fonseca, S. T., Holt, K. G., Saltzman, E., & Fethers, L. (2001). A dynamical model of locomotion in spastic hemiplegic cerebral palsy: influence of walking. *Clinical Biomechanics*, 16, 793-805.
- Fuchs, A., Jirsa, V. K., Haken, H., & Kelso, J. A. S., (1996). Extending the HKB model of coordinated movement to oscillators with different eigenfrequencies. *Biological Cybernetics*, 74, 21-30.
- Furnée, E. H. (1989). *TV/ computer motion analysis systems: the first two decades*. Doctoral dissertation. Technical University Delft. Den Haag: Koninklijke Bibliotheek.
- Geurts, A. C. H., & Mulder, T. (1994). Attention demands in balance recovery following lower limb amputation. *Journal of Motor Behavior*, 26, 162-170.
- Geurts, A. C. H., Mulder, T., Nienhuis, B., & Rijken, R. A. J. (1991). Dual-task assessment of reorganization of postural control in persons with lower limb amputation. *Archives of Physical Medicine and Rehabilitation*, 72, 1059-1064.
- Gilmore, R. (1981). *Catastrophe theory for scientists and engineers*. New York: Wiley.
- Grillner, S., & Wallen, P. (1985). Central pattern generators for locomotion, with special reference to vertebrates. *Annual Reviews in Neuroscience*, 8, 233-261.
- Haken, H. (1977). *Synergetics. An introduction*. Berlin: Springer-Verlag.
- Haken, H. (1983). *Advanced synergetics*. Berlin: Springer-Verlag.
- Haken, H., Kelso, J. A. S., & Bunz, H. (1985). A theoretical model of phase transitions in human hand movements. *Biological Cybernetics*, 51, 347-356.
- Hausdorff, J. M., Edelberg, H. K., Mitchell, S. L., Goldberger, A. L., & Wei, J. Y. (1997). Increased gait unsteadiness in community-dwelling elderly fallers. *Archives of Physical Medicine and Rehabilitation*, 78, 278-283.
- Hausdorff, J. M., Rios, D. A., & Edelberg, H. K. (2001). Gait variability and fall risk in com-

- munity-living older adults: a 1-year prospective study. *Archives of Physical Medicine and Rehabilitation*, 82, 1050-1056.
- Hogue, R. E. (1969). Upper-extremity muscular activity at different cadences and inclines during normal gait. *Physical Therapy*, 49, 963-972.
- Holt, K. G., Hamill, J., & Andres, R. O. (1990). The force-driven harmonic oscillator as a model for human locomotion. *Human Movement Science*, 9, 55-68.
- Holt, K. G., Hamill, J., & Andres, R. O. (1991). Predicting the minimal energy costs of human walking. *Medicine and Science in Sports and Exercise*, 23, 491-498.
- Holt, K. G., Jeng, S. F., Ratcliffe, R., & Hamill, J. (1995). Energetic cost and stability during human walking at the preferred stride frequency. *Journal of Motor Behavior*, 27, 164-178.
- Inman, V. T., Ralston, H. J., & Todd, F. (1981). *Human walking*. Williams & Wilkins, Baltimore.
- Isakov, E., Burger, H., Krajnik, J., Gregorič, M., & Marinček, Č. (1996). Influence of speed on gait parameters and on symmetry in trans-tibial amputees. *Prosthetics and Orthotics International*, 20, 153-158.
- Isakov, E., Burger, H., Krajnik, J., Gregorič, M., & Marinček, Č. (1997). Double-limb support and step-length asymmetry in below-knee amputees. *Scandinavian Journal of Rehabilitation Medicine*, 29, 75-79.
- Jackson, K. M., Joseph, J., & Wyard, S. J. (1978). A mathematical model of arm swing during human locomotion. *Journal of Biomechanics*, 11, 277-289.
- Jaegers, S. M., Vos, L. D., Rispens, P., & Hof, A. L. (1993). The relationship between comfortable and most metabolically efficient walking speed in persons with unilateral above-knee amputation. *Archives of Physical and Medical Rehabilitation*, 74, 521-525.
- Jeka, J. J., & Kelso, J. A. S. (1995). Manipulating symmetry in the coordination dynamics of human movement. *Journal of Experimental Psychology: Human Perception and Performance*, 21, 360-374.
- Jeka, J. J., Kelso, J. A. S., & Kiemel, T. (1993). Spontaneous transitions and symmetry: pattern dynamics in human four-limb coordination. *Human Movement Science*, 12, 627-651.
- Kelso, J. A. S. (1981). On the oscillatory basis of movement. *Bulletin of the Psychonomic Society*, 18, 63.
- Kelso, J. A. S. (1984). Phase transitions and critical behavior in human bimanual coordination. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 15, R1000-R1004.
- Kelso, J. A. S. (1994). The informational character of self-organized coordination dynamics. *Human Movement Science*, 13, 393-413.
- Kelso, J. A. S. (1995). *Dynamic patterns. The self-organization of brain and behavior*. (pp. 71-73). A Bradford Book. Cambridge MA: MIT Press.

- Kelso, J. A. S., & DeGuzman, G. C. (1992). The intermittent dynamics of coordination. In: G. E. Stelmach, and J. Requin (Eds.), *Tutorials in Motor Behavior II* (pp. 549-562). Amsterdam: Elsevier Science Publishers.
- Kelso, J. A. S., & Ding, M. (1993). Fluctuations, intermittency and controllable chaos in biological coordination. In: K. M. Newell, and D. M. Corcos (Eds.), *Variability and motor control* (pp. 291-316). Champaign, IL: Human Kinetics Publishers.
- Kelso, J. A. S., & Jeka, J. J. (1992). Symmetry breaking dynamics of human multilimb coordination. *Journal of Experimental Psychology: Human Perception and Performance*, 18, 645-668.
- Kugler, P. N., & Turvey, M. T. (1987). *Information, natural law and self-assembly of rhythmic movements: A study in the similitude of natural law*. Hillsdale, NJ: Erlbaum.
- Ledebt, A., Bril, B., & Brenière, Y. (1998). The build up of anticipatory behaviour. An analysis of the development of gait initiation in children. *Experimental Brain Research*, 120, 9-17.
- Ledebt, A., Bril, B., & Wiener-Vacher, S. (1995). Trunk and head stabilization during the first months of independent walking. *Neuroreport*, 6, 1737-1740.
- Libersat, F., Clarac, F., & Zill, S. (1987). Force-sensitive mechanoreceptors of the dactyl of the crab: single-unit responses during walking and evaluation of function. *Journal of Neurophysiology*, 57, 1618-1637.
- Luria, A. R. (1973). *The working brain: An introduction to neuropsychology*. New York: Basic.
- Mackey, M. C., & Milton, J. G. (1987). Dynamical diseases. *Annals New York Academy of Sciences*, 504, 16-32.
- MacKinnon, C. D., & Winter, D. A. (1993). Control of whole-body balance in the frontal plane during human walking. *Journal of Biomechanics*, 26, 633-644.
- Maki, B. E. (1997) Gait changes in older adults: predictors of falls or indicators of fear. *Journal of the American Geriatrics Society*, 45, 313-320.
- Marey, E. J. (1874). *Animal mechanism: A treatise on terrestrial and aerial locomotion*. New York: Appleton.
- Martin, P. E. (1999). Age-related deficits in walking mechanisms and energy. *Proceedings of the XVIIth Congress of the International Society of Biomechanics*, (pp. 93). Calgary, Canada.
- Mattes, S. J., Martin, P. E., & Royer, T. D. (2000). Walking symmetry and energy cost in persons with unilateral trans-tibial amputations: matching prosthetic and normal limb inertial properties. *Archives of Physical Medicine and Rehabilitation*, 81, 561-568.
- McGeer, T. (1990). Passive walking. *International Journal of Robotics Research*, 9, 62-82.
- McGeer, T. (1993). Dynamics and control of bipedal locomotion. *Journal of Theoretical Biology*, 163, 277-314.
- McMahon, T. A. (1984). *Muscles*,

- reflexes, and locomotion.* Princeton, NJ: Princeton University Press.
- Meinck, H. M., & Piesiur-Strehlow, B. (1981). Reflex evoked in leg muscles from arm afferents: a propriospinal pathway in man? *Experimental Brain Research*, 43, 78-86.
- Mochon, S., & McMahon, T. A. (1980). Ballistic walking: an improved model. *Mathematical Biosciences*, 52, 241-260.
- Mulder, T. (2001). *De geboren aanpasser: over beweging, bewustzijn en gedrag* [Born to adapt: movement, consciousness and behavior]. Amsterdam: Contact.
- Mulder, T., den Otter, R., & van Engelen, B. (2001). The regulation of fine movements in patients with Charcot Marie Tooth, type Ia: some ideas about continuous adaptation. *Motor Control*, 2, 200-214.
- Mulder, T., & Hochstenbach, J. (in press). Motor control and Learning: implications for neurological rehabilitation. In: R. J. Greenwood, H. J. Barnes, T. M. McMillan, and C. D. Ward (Eds.), *Handbook of Neurological Rehabilitation*, Sussex: Psychology Press.
- Murray, M. P., Mollinger, L. A., Sepic, S. B., Gardner, G. M., & Linder, M. T. (1983). Gait patterns in above-knee amputee patients: hydraulic swing control vs constant-friction knee components. *Archives of Physical Medicine and Rehabilitation*, 64, 3439-345.
- Murray, M. P., Sepic, S. B., & Barnard, E. J. (1964). Patterns of sagittal rotation of the upper limbs in walking. *Physical Therapy*, 47, 272-284.
- Murray, M. P., Sepic, S. B., Gardner, G. M., & Downs, W. J. (1978). Walking patterns of men with Parkinsonism. *American Journal of Physical Medicine*, 57, 278-294.
- Muzzi, R. A., Warburg, C. L., & Gentile, A. M. (1984). Coordination of the upper and lower extremities. *Human Movement Science*, 3, 337-354.
- Nakamura, T., Meguro, K., & Sasaki, H. (1996). Relationship between falls and stride length variability in senile dementia of the Alzheimer type. *Gerontology*, 42, 108-113.
- Nashner, L.M., & Forssberg, H. (1986). Phase-dependent organization of postural adjustments associated with arm movements while walking. *Journal of Neurophysiology*, 55, 1382-1394.
- Nilsson, J., & Thorstensson, A. (1987). Adaptability in frequency and amplitude of leg movements during human locomotion at different speeds. *Acta Physiologica Scandinavica*, 129, 107-114.
- Öberg, T., Karsznia, A., & Öberg, K. (1993). Basic gait parameters: reference data for normal subjects, 10-79 years of age. *Journal of Rehabilitation Research and Development*, 30, 210-223.
- Okamoto, T., & Kumamoto, M. (1972). Electromyographic study of the learning process of walking in infants. *Electromyography and*

- Clinical Neurophysiology*, 12, 149-158.
- Patla, A. (1991). *The adaptability of human gait: implications of the control of locomotion*. Amsterdam: North Holland.
- Peck, A. J., & Turvey, M. T. (1997). Coordination dynamics of the bipedal galloping pattern. *Journal of Motor Behavior*, 29, 311-325.
- Peper, C. E., Beek, P. J., & Van Wieringen, P. C. W. (1995). Multifrequency coordination in bimanual tapping: Asymmetrical coupling and signs of supercriticality. *Journal of Experimental Psychology: Human Perception and Performance*, 21, 1117-1138.
- Porges, S. W., & Bohrer, R. E. (1980). New time-series statistics for detecting rhythmic co-occurrence in the frequency domain: The weighted coherence and its application to psychophysiological research. *Psychological Bulletin*, 88, 580-587.
- Post, A. A., Peper, C. E., & Beek, P. J. (2000). Relative phase dynamics in perturbed interlimb coordination: the effects of frequency and amplitude. *Biological Cybernetics*, 83, 529-545.
- Quintern, J., Berger, W., & Dietz, V. (1985) Compensatory reactions to gait perturbations in man: short- and long-term effects of neuronal adaptation. *Neuroscience Letters*, 62, 371-376.
- Rand, R. H., Cohen, A. H., & Holmes, P. J. (1988). Systems of coupled oscillators as models of central pattern generators. In: A. H. Cohen, S. Rossignol, and S. Grillner (Eds.), *Neural control of rhythmic movements in vertebrates* (pp. 333-367). New York: Wiley.
- Riek, S., & Carson, R. G. (2001). Let your feet do the walking: constraints on the stability of bipedal coordination. *Experimental Brain Research*, 136, 407-412.
- Rozendal, R. H. (1968). *Inleiding in de kinesiologie van de mens [Introduction into the human kinesiology]*. Culemborg: Stam Technische boeken.
- Schmidt, R. C., Beek, P. J., Treffner, P. J., & Turvey, M. T. (1991). Dynamical substructure of coordinated rhythmic movements. *Journal of Experimental Psychology: Human Perception and Performance*, 17, 635-651.
- Schmidt, R. C., Shaw, B. K., & Turvey, M. T. (1993). Coupling dynamics in interlimb coordination. *Journal of Experimental Psychology: Human Perception and Performance*, 19, 397-415.
- Scholz, J. P. (1990). Dynamic pattern theory - Some implications for therapeutics. *Physical Therapy*, 70, 827-843.
- Schöner, G. (1995). Recent developments and problems in human movement science and their conceptual implications. *Ecological Psychology*, 7, 291-314.
- Schöner, G., Haken, H., & Kelso, J. A. S. (1986). A stochastic theory of phase transitions in human hand movement. *Biological Cybernetics*, 53, 247-257.
- Schöner, G., Jiang, W. Y., & Kelso, J. A. S. (1990). A synergetic theory of quadrupedal gaits and gait transitions. *Journal of Theoretical*

- Biology*, 142, 359-391.
- Schöner, G., & Kelso, J. A. S. (1988). Dynamic pattern generation in behavioral and neural systems. *Science*, 239, 1513-1520.
- Schot, P. K., & Decker, M. J. (1998). The force driven harmonic oscillator model accurately predicts the preferred stride frequency for backward walking. *Human Movement Science*, 17, 67-76.
- Selles, R. W., Bussmann, H. B. J., Wagenaar, R. C., & Stam, H. J. (1999). Effects of prosthetic mass and mass distribution on kinematics and energetics of prosthetic gait: a systematic review. *Archives of Physical Medicine and Rehabilitation*, 80, 1-7.
- Serrien, D. J., & Swinnen, S. P. (1997). Coordination constraints induced by effector combination under isofrequency and multifrequency conditions. *Journal of Experimental Psychology: Human Perception and Performance*, 23, 1493-1510.
- Serrien, D. J., & Swinnen, S. P. (1998a). Load compensation during homologous and non-homologous coordination. *Experimental Brain Research*, 121, 223-229.
- Serrien, D. J., & Swinnen, S. P. (1998b). Interactive processes during interlimb coordination: combining movement patterns with different frequency ratios. *Psychological Research*, 61, 191-203.
- Shapiro, D. C., Zernicke, R. F., Gregor, R. J., & Diestel, J. D. (1981). Evidence for generalized motor programs using gait pattern analysis. *Journal of Motor Behavior*, 13, 33-47.
- Skinner, H. B., & Effeney, D. J. (1985). Gait analysis in amputees. *American Journal of Physical Medicine*, 64, 82-89.
- Stein, P. S. G. (1974). Neural control of interappendage phase during locomotion. *American Zoologist*, 14, 1003-1016.
- Sternad, D., Amazeen, E. L., & Turvey, M. T. (1996). Diffusive, synaptic, and synergetic coupling: an evaluation through in-phase and antiphase rhythmic movements. *Journal of Motor Behavior*, 28, 255-269.
- Sternad, D., Turvey, M. T., & Saltzman, E. L. (1999a). Dynamics of 1:2 coordination: generalizing relative phase to n:m rhythms. *Journal of Motor Behavior*, 31, 207-223.
- Sternad, D., Turvey, M. T., & Saltzman, E. L. (1999b). Dynamics of 1:2 coordination: sources of symmetry breaking. *Journal of Motor Behavior*, 31, 224-235.
- Sternad, D., Turvey, M. T., & Schmidt, R. C. (1992). Average phase difference theory and 1:1 entrainment in interlimb coordination. *Biological Cybernetics*, 67, 223-231.
- Stolze, H., Kuhtz-Buschbeck, J. P., Mondwurf, C., Boczek-Funcke, A., Johnk, K., Deuschl, G., & Illert, M. (1997). Gait analysis during treadmill and overground locomotion in children and adults. *Electromyography and*

- motor control — *Electroencephalography and Clinical Neurophysiology*, 105, 490-497.
- Sutherland, D. H., Olshen, R., Cooper, L., & Woo, S. L. (1980). The development of mature gait. *Journal of Bone and Joint Surgery - American Volume*, 62, 336-353.
- Swinnen, S. P., Dounskaia, N., Verschueren, S., Serrien, D. J., & Daelman, A. (1995). Relative phase destabilization during interlimb coordination: the disruptive role of kinesthetic afferences induced by passive movement. *Experimental Brain Research*, 105, 439-454.
- Swinnen, S. P., Jardin, K., Meulenbroek, R. J. G., Dounskaia, N., & Hofkens-Van Den Brandt, M. (1997). Egocentric and allocentric constraints in the expression of patterns of interlimb coordination. *Journal of Cognitive Neuroscience*, 9, 348-377.
- Swinnen, S. P., Young, D. E., Walter, C. B., & Serrien, D. J. (1991). Control of asymmetrical bimanual movements. *Experimental Brain Research*, 85, 163-173.
- Taga, G. (1994). Emergence of bipedal locomotion through entrainment among the neuro-musculo-skeletal system and the environment. *Physica D*, 75, 190-208.
- Taga, G. (1995). A model of the neuro-musculo-skeletal system for human locomotion. I. Emergence of basic gait. *Biological Cybernetics*, 73, 97-111.
- Tazawa, E. (1997). Analysis of torso movement of trans-femoral amputees during level walking. *Prosthetics and Orthotics International*, 21, 129-140.
- Thelen, E. (1986). Development of coordinated movement: implications for early human development. In: M. G. Wade, and H. T. A. Whiting (Eds.), *Motor skills acquisition* (pp. 107-124). Dordrecht: Nijhoff.
- Thorstensson, A., Nilsson, J., Carlsson, H., & Zomlefer, M. R. (1984). Trunk movements in human locomotion. *Acta Physiologica Scandinavica*, 121, 9-22.
- Treffner, P. J., & Turvey, M. T. (1993). Resonance constraints on rhythmic movement. *Journal of Experimental Psychology: Human Perception and Performance*, 19, 1221-1237.
- Treffner, P. J., & Turvey, M. T. (1996). Symmetry, broken symmetry, and handedness in bimanual coordination dynamics. *Experimental Brain Research*, 107, 463-478.
- Van Emmerik, R. E. A., & Wagenaar, R. C. (1996a). Effects of walking velocity on relative phase dynamics in the trunk in human walking. *Journal of Biomechanics*, 29, 1175-1184.
- Van Emmerik, R. E. A., & Wagenaar, R. C. (1996b). Dynamics of movement coordination and tremor during gait in Parkinson's disease. *Human Movement Science*, 15, 203-235.
- Van Emmerik, R. E. A., Wagenaar, R. C., & Van Wegen, E. E. H. (1998). Interlimb coupling pat-

- terns in human locomotion: are we bipeds or quadrupeds? In O. Kiehn, R. M. Harris-Warrick, L. M. Jordan, H. Hultborn, and N. Kudo (Eds.), *Annals of the New York Academy of Sciences* (Vol. 860), *Neuronal mechanisms for generating locomotor activity* (pp. 539-542). New York: The New York Academy of Sciences.
- Van Emmerik, R. E. A., Wagenaar, R. C., & Wolters, E. Ch. (1993). Dynamics of movement coordination in Parkinson's disease. In: E. C. Wolters, and P. Scheltens (Eds.), *Proceedings European Congress on Mental Dysfunctioning in Parkinson's disease* (pp. 69-91). Dordrecht: ICG Printing, The Netherlands.
- Van Soest, A. J., Peper, C. E., Selles, R. W. (submitted). Mass perturbation of a body segment: effects on segment dynamics.
- Vaughan, C. L., Davis, B. L., & O'Connor, J. C. (1992). *Dynamics of human gait*. Champaign, IL: Human Kinetics Publishers.
- Veldpaus, F. E., Woltring, H. J., & Dortmans, L. J. M. G. (1988). A least-squares algorithm for the equiform transformation from spatial marker co-ordinates. *Journal of Biomechanics*, 21, 45-54.
- Von Holst, E. (1939/1973). Relative coordination as a phenomenon and as a method of analysis of central nervous function. In: R. Martin (Ed.), *The collected papers of Erich von Holst. Vol. 1. The behavioral physiology of animal and man*. Coral Gables, FL: University of Miami Press.
- Wagenaar, R. C., & Beek, W. J. (1992). Hemiplegic gait: A kinematic analysis using walking speed as a basis. *Journal of Biomechanics*, 25, 1007-1015.
- Wagenaar, R. C., & Van Emmerik, R. E. A. (1994). Dynamics of pathological gait. *Human Movement Science*, 13, 441-471.
- Wagenaar, R. C., & Van Emmerik, R. E. A. (2000). Resonant frequencies of arms and legs identify different walking patterns. *Journal of Biomechanics*, 33, 853-861.
- Wannier, T., Bastiaanse, C., Colombo, G., Dietz, V. (2001). Arm to leg coordination in humans during walking, creeping and swimming activities. *Experimental Brain Research*, 141, 375-379.
- Warren, W. H., Kay, B. A., & Yilmaz, E. H. (1996). Visual control of posture during walking: Functional specificity. *Journal of Experimental Psychology: Human Perception and Performance*, 22, 818-838.
- Waters, R. L., & Mulroy, S. (1999). The energy expenditure of normal and pathologic gait. *Gait & Posture*, 9, 207-231.
- Webb, D., & Tuttle, R. H. (1989). The effects of stride frequency on the motion of the upper limbs in human walking. *American Journal of Physiological Anthropology*. 78, 321-322.
- Webb, D., Tuttle, R. H., & Baksh, M. (1994). Pendular activity of human upper limbs during slow and normal walking. *American Journal of Physical Anthropology*.

- ogy, 93, 477-89.
- Whitall, J. (1989). A developmental study of the interlimb coordination in running and galloping. *Journal of Motor Behavior*, 21, 409-428.
- Whitall, J., & Caldwell, G. E. (1992). Coordination of symmetrical and asymmetrical human gait. *Journal of Motor Behavior*, 24, 339-353.
- Whitall, J., & Clark, J. E. (1994). The development of bipedal interlimb coordination. In: S. Swinnen, H. Heuer, J. Massion, and P. Casaer (Eds.), *Interlimb coordination. Neural, dynamical and cognitive constraints*. Champaign, IL: Human Kinetics.
- Whitall, J., & Getchell, N. (1996). Multilimb coordination patterns in simultaneous, dissimilar upper and lower limb tasks. *Human Movement Science*, 15, 129-155.
- Whittle, M. W. (1998). *Gait analysis, an introduction*. Oxford: Butterworth-Heine-mann, Linacre House, Jordan Hill.
- Winter, D. A. (1983). Biomechanical motor patterns in normal walking. *Journal of Motor Behavior*, 15, 302-330.
- Winter, D. A. (1990). *Biomechanics and motor control of human movement*. (2nd ed.) New York: Wiley.
- Winter, D. A. (1995). Human balance and posture control during standing and walking. *Gait and Posture*, 3, 193-214.
- Yamanishi, J., Kawato, M., & Suzuki, R. (1980). Two coupled oscillators as a model for the coordinated finger tapping by both hands. *Biological Cybernetics*, 37, 219-225.
- Zanone, P. G., & Kelso, J. A. S. (1992). Evolution of behavioral attractors with learning: nonequilibrium phase transitions. *Journal of Experimental Psychology: Human Perception and Performance*, 18, 403-421.
- Zanone, P. G., Monno, A., Temprado, J. J., & Laurent, M. (2001). Shared dynamics of attentional cost and pattern stability. *Human Movement Science*, 20, 765 -789.
- Zehr, E. P., Collins, D. F., & Chua, R. (2001). Human interlimb reflexes evoked by electrical stimulation of cutaneous nerves innervating the hand and foot. *Experimental Brain Research*, 140, 495-504.
- Zijlstra, W. (1997). *Adaptability of Human Stepping Patterns*. Thesis. Rijksuniversiteit Groningen, Groningen.

